

Stainless Steel Trim Tab Kits

Lectrotab Kit with Rocker Switch	Lectrotab Kit with Oval Control	Lectrotab Kit with Manual Level Switch	Lectrotab Kit with Auto Level Switch	Kit Contains these Parts
				2 – Actuators with 23' (7m) 2 – Flat Stainless Steel Tabs, 12 gauge
XKAF9X9	XKASB9X9	XKASML9X9	XKASAL9X9	  SAF-SC  SETR-61 Oval  MLC Control  ALC Control
XKAF9X12	XKASB9X12	XKASML9X12	XKASAL9X12	
XKAF9X18	XKASB9X18	XKASML9X18	XKASAL9X18	
XKAF9X24	XKASB9X24	XKASML9X24	XKASAL9X24	
XKAF9X30	XKASB9X30	XKASML9X30	XKASAL9X30	
XKAF9X36	XKASB9X36	XKASML9X36	XKASAL9X36	
XKAF12X9	XKASB12X9	XKASML12X9	XKASAL12X9	
XKAF12X12	XKASB12X12	XKASML12X12	XKASAL12X12	
XKAF12X18	XKASB12X18	XKASML12X18	XKASAL12X18	
XKAF12X24	XKASB12X24	XKASML12X24	XKASAL12X24	
XKAF12X30	XKASB12X30	XKASML12X30	XKASAL12X30	
XKAF12X36	XKASB12X36	XKASML12X36	XKASAL12X36	
XKAF12X42	XKASB12X42	XKASML12X42	XKASAL12X42	

Stainless Steel Trim Tab Kit Model Number

XK	A	SB	12	X	12	A
XK = 23' (7m) Actuator Cable K = 6' (1.8m) Actuator Cable		SB = Black Oval LED Control SAL = Auto Level Control SML = Manual Level Control F = Flat Rocker Switch	1st Number = Tab Chord Length (inches)		2nd Number = Tab Width Across Transom (inches)	A = Aluminum Alloy Tabs
	A = Standard Actuator 12vdc, 2.25" (57mm) stroke, 8 second stroke time B = Standard Actuator 24vdc, 2.25" (57mm) stroke, 8 second stroke time C & D = See Note Below					

Note:

Actuators are also available with a 4 second stroke time. 4 second stroke time model numbers begin with the letter "C" for 12vdc and "D" for 24vdc.

Please note that Lectrotab recommends using the 8 second stroke time for a smoother, more controlled boat response to tab adjustments.