

Aluminum Alloy Trim Tab Kits

Lectrotab Kit with Rocker Switch	Lectrotab Kit with Oval Control	Lectrotab Kit with Manual Level Switch	Lectrotab Kit with Auto Level Switch	Kit Contains these Parts
				2 – Actuators with 23’ (7m) 2 –Marine Grade Aluminum Alloy Tabs 
XKAF9X9A	XKASB9X9A	XKASML9X9A	XKASAL9X9A	 SAF-SC Rocker Sw.  SETR-61 Oval  MLC Control  ALC Control
XKAF9X12A	XKASB9X12A	XKASML9X12A	XKASAL9X12A	
XKAF9X18A	XKASB9X18A	XKASML9X18A	XKASAL9X18A	
XKAF9X24A	XKASB9X24A	XKASML9X24A	XKASAL9X24A	
XKAF9X30A	XKASB9X30A	XKASML9X30A	XKASAL9X30A	
XKAF9X36A	XKASB9X36A	XKASML9X36A	XKASAL9X36A	
XKAF12X9A	XKASB12X9A	XKASML12X9A	XKASAL12X9A	
XKAF12X12A	XKASB12X12A	XKASML12X12A	XKASAL12X12A	
XKAF12X18A	XKASB12X18A	XKASML12X18A	XKASAL12X18A	
XKAF12X24A	XKASB12X24A	XKASML12X24A	XKASAL12X24A	
XKAF12X30A	XKASB12X30A	XKASML12X30A	XKASAL12X30A	
XKAF12X36A	XKASB12X36A	XKASML12X36A	XKASAL12X36A	
XKAF12X42A	XKASB12X42A	XKASML12X42A	XKASAL12X42A	

Aluminum Alloy Trim Tab Kit Model Number

XK	A	SB	12	X	12	A
XK = 23’ (7m) Actuator Cable K = 6’(1.8m) Actuator Cable A = Standard Actuator 12vdc, 2.25” (57mm) stroke, 8 second stroke time B = Standard Actuator 24vdc, 2.25” (57mm) stroke, 8 second stroke time C & D = See Note Below		SB = Black Oval LED Control SAL = Auto Level Control SML = Manual Level Control F = Flat Rocker Switch	1st Number = Tab Chord Length (inches)		2nd Number = Tab Width Across Transom (inches)	A = Aluminum Alloy Tabs

Note:

Actuators are also available with a 4 second stroke time. 4 second stroke time model numbers begin with the letter “C” for 12vdc and “D” for 24vdc.

Please note that Lectrotab recommends using the 8 second stroke time for a smoother, more controlled boat response to tab adjustments.